

actiforce

INDUSTRY EDITION



MOVEMENT BEGINS HERE




# industry

EDITION

We have selected a range from our wide collection, that meets the requirements for a contemporary industrial workspace.

Enjoy and get inspired...





## **CRAFTS** AND ERGONOMICS

Like many people around the world, we got a love for crafts and arts. Crafting encompasses everything from complex things to simpler crafts.

We want to give all craft makers, the best working conditions. We have created a range of tables that supports ergonomics and the need for easy-access storage, which ensures that you always have the best possible working position.



## THE ACTIFORCE WELDING TABLE

Is made of through-hardened S355MC + plasma nitration quality steel and improved reinforcement by additional ribbing meets the requirement for the professional welding work of today.

Top surface structure in longitudinal grid 100x100 mm and high side panels with a system hole pattern of 50 x 100 mm grid made with Ø28 mounting holes bring more clamping options to ensure the agility and great support that you need for precise welding. This height adjustable welding table set the new high standard for best positioning welding and ergonomic support, that the modern welders are requesting.



### STEELFORCE

PRO 570 SLS WELDING **Product details**

Height (mm) min. 830 / max. 1160

Width x Depth (mm) 1200 x 800

Dynamic Capacity (kg) 200

Colour options:



60 x 90

60 x 90



**CRAFTMAKERS**  
*Collection*





## STEELFORCE

PRO 570 SLS HEAVY DUTY BASIC

### Product details

Height (mm)	min. 680 / max. 1010
Cross bar length (mm)	1530 / 1730 / 1930
Dynamic Capacity (kg)	175

Colour option:



60 x 90



## STEELFORCE

PRO 570 SLS HEAVY DUTY DOUBLE

### Product details

Height (mm)	min. 680 / max. 1010
Cross bar length (mm)	1530 / 1730 / 1930
Dynamic Capacity (kg)	350

Colour options:



60 x 90

60 x 90



**CRAFTMAKERS**  
*Collection*









## STEEFORCE

PRO 100 HC

### Product details

Height (mm)	min. 680 / max. 1090
Recommended top size (mm)	800 -1400 x 800
Dynamic Capacity (kg)	60

Frame/Top Colour:



115 x 51



## STEEFORCE

PRO 100 HC

### Product details

Height (mm)	min. 680 / max. 1090
Recommended top size (mm)	800 -1400 x 800
Dynamic Capacity (kg)	60

Frame/Top Colour:



115 x 51








**BRINGALONG**  
GAS SPRING TABLE **Product details**

Height (mm)	min. 690 / max. 1180
Recommended top size (mm)	800 x 670
Dynamic capacity (kg)	15

Surface colour:  
   060

Frame colours:  
   





STEEFFORCE SLS 675 CONFERENCE  
Jet Black RAL 9005  
TV LIFT WALL

ACTIVITY STOOL 2.0







### TV-LIFT

WALL

Product details	
Height x Width x Depth (mm)	2214 x 914 x 202
Stroke (mm)	1000
Vesa Norm	400x100 to 800x432
Suitable for screen sizes	32" to 100"
Dynamic Capacity (kg)	120

Colour option:



### TV-LIFT

EASY

Product details	
Height x Width x Depth (mm)	2030 x 693 x 192
Stroke (mm)	800
Vesa Norm	200x100 to 600x432
Suitable for screen sizes	26" to 86"
Dynamic Capacity (kg)	100

Colour option:



### TV-LIFT

MOBILE

Product details	
Height x Width x Depth (mm)	2077 x 1370 x 719
Stroke (mm)	800
Vesa Norm	200x100 to 600x432
Suitable for screen sizes	26" to 100"
Dynamic Capacity (kg)	100

Colour option:



### STEELFORCE

PRO 675 SLS CONFERENCE

Product details	
Height (mm)	min. 615 / max. 1275
Recommended top size (mm)	2100 - 3200 x 1000
Dynamic Capacity (kg)	150

Frame colour options:





THE BEST  
POSITION IS  
**YOUR NEXT  
POSITION**

**ACTIVITY**  
STOOL 2.0

Product details

Height (mm)	min. 610 / max. 870
Width (mm)	390 Ø

Surface colour:





